

Arrays, Sequences, and Lazy Evaluation

Björn Lisper
School of Innovation, Design, and Engineering
Mälardalen University

bjorn.lisper@mdh.se
<http://www.idt.mdh.se/~blr/>

Arrays, Sequences, and Lazy Evaluation (revised 2020-01-07)

Some Properties of F# Arrays

Created with *fixed size*

Can be *multidimensional* (won't be brought up here)

Storage-efficient

Constant lookup time

Mutable (elements can be updated, we'll bring this up later)

No sharing (different arrays are always stored separately)

Arrays

F# has arrays

For any F# type 'a, there is a type 'a [] (array with elements of type 'a)


F# arrays provide an alternative to lists

Sometimes arrays are better to use, sometimes lists are better

Arrays, Sequences, and Lazy Evaluation (revised 2020-01-07)


Arrays vs. Lists (1/2)

Arrays



Fixed size, small overhead,
constant time random access,
no sharing

Lists



Easy extension (cons), some
memory overhead, access time
grows with depth, sharing
possible

Arrays vs. Lists (2/2)

Arrays are good when:

- the size is known in advance
- low access times to arbitrary elements are important
- low memory consumption is important
- no or little sharing is possible

Lists are good when:

- It is hard to predict the size in advance
- It is natural to build the data structure successively by adding elements
- there are opportunities for sharing

Creating and Accessing Arrays

Arrays can be created with a syntax very similar to list notation:

```
let a = [|1;2;1;5;0|]
a : int []
```

Creates an integer array of size 5

Accessing element i : `a.[i]`

`a.[0]` \implies 1 (arrays are indexed from 0)

Accessing a *slice* (subarray): `a.[i..j]`

`a.[1..3]` \implies [|2;1;5|]

Empty array: [| |]

Arrays vs. Strings

Elements and slices in arrays are accessed exactly as from strings


However, strings are *not* arrays of characters!

`string` \neq `char []`

Also strings are immutable, whereas arrays of chars are mutable

An Array Programming Example


Problem: we have a mathematical (numerical) function f . We want to solve the equation $f(x) = 0$ numerically



We assume that: f is increasing on the interval $[0, n]$, that $f(0) \leq 0$, that $f(n) \geq 0$, and that f is continuous. Then $f(x) = 0$ has exactly one solution on the interval

A Classical Method: Interval Halving

By successively halving the interval, we can “close in” the value of x for which $f(x) = 0$



We stop when the interval is sufficiently narrow

Now assume that the function values $f(0), f(1), \dots, f(n)$ are stored as a table, in an array a with $n + 1$ elements

We can then apply interval halving on the table. We define a recursive function that starts with $(0, n)$ and recursively halves the interval. We stop when:

- we have an interval (l, u) where $a.[l] = 0.0$
- we have an interval (l, u) where $a.[u] = 0.0$
- we have an interval $(l, l+1)$

Solution (I)

Two possible results:

- An exact solution is found ($a.[i] = 0.0$ for some i)
- The solution is enclosed in an interval $(l, l+1)$

Let's roll a data type to help distinguish these:

```
type Answer = Exact of int | Interval of int * int
```

Solution (II)

```
let rec int_half (a : float []) l u =
  if u = l+1 then Interval (l,u)
  elif a.[l] = 0.0 then Exact l
  elif a.[u] = 0.0 then Exact u
  else let h = (l+u)/2 in
        if a.[h] > 0.0 then int_half a l h
        else int_half a h u
```

Four cases to handle

Note the “elif” syntax, convenient for nested if:s

(For some reason we need to type a explicitly)

The Array Module

F# has an `Array` module, similar to the `List` module

Some standard array functions:

```
Array.length : 'a [] -> int
Array.append : 'a [] -> 'a [] -> 'a []
Array.zip : 'a [] -> 'b [] -> ('a * 'b) []
Array.filter : ('a -> bool) -> 'a [] -> 'a []
Array.map : ('a -> 'b) -> 'a [] -> 'b []
Array.fold : ('a -> 'b -> 'a) -> 'a -> 'b [] -> 'a
Array.foldBack : ('a -> 'b -> 'b) -> 'a [] -> 'b -> 'b
```

These work like their list counterparts. The above is just a selection. Notably no `head`, `tail`, or “`cons`” for arrays

An Observation on the Array Functions

Many of the array functions have exact counterparts for lists

This is not a coincidence


Arrays and lists just provide different ways to store *sequences of values*

Many of the functions, like `map`, `fold`, `filter`, etc. are really mathematical functions on sequences

So for *any* datatype that stores sequences, these functions can be defined

Software that uses these primitives can therefore easily be modified to use different data representations

Abstract Data Types



`length`, `map`, `fold` etc. provide an *interface*

It turns `List` and `Array` into *abstract data types*

If the programmer sticks to the interface, then *any* abstract data type implementing the interface can be used

An Example: Computing Mean Values

The mean value of n values x_1, \dots, x_n is defined as:

$$\left(\sum_{i=1}^n x_i\right)/n$$

A function to calculate the mean value of the elements in an array of floats:

```
let mean x = Array.fold (+) 0.0 x/float (Array.length x)
```

A little home exercise: change `mean` to calculate the mean value of a list of floats. Hint: it can be done quickly ...

Sequences

F# has a data type for `seq<'a>` for *sequences* of values of type `'a`

Underneath, this is really the .NET type

```
System.Collection.Generic.IEnumerable<'a>
```

In F#, sequences are used:

- as an abstraction for lists and arrays,
- as a compute-on-demand construct, especially for interfacing with the outside world,

Sequences can be specified through *range* and *sequence expressions*

Range Expressions (1/2)

Range expressions are the simplest form of sequence expression:

```
{ start .. stop }
```

Generates a sequence with first element `start`, last element `stop`, and increment one

```
{ 1 .. 4 } ⇒ seq [1; 2; 3; 4] : seq<int>
```

```
{ 1.0 .. 4.0 } ⇒ seq [1.0; 2.0; 3.0; 4.0] : seq<float>
```

Primarily numerical types, but works for all types whose elements can be ordered:

```
{ 'a' .. 'd' } ⇒ seq ['a'; 'b'; 'c'; 'd'] : seq<char>
```

Range Expressions (2/2)

An increment can also be specified:

```
{ start .. inc .. stop }
```

```
{ 1 .. 2 .. 8 } ⇒ seq [1; 3; 5; 7] : seq<int>
```

Increments can be negative:

```
{ 3.1 .. -0.5 .. 0.0 } ⇒  
seq [3.1; 2.6; 2.1; 1.6; ...] : seq<float>
```

(`fsi` only prints the first four elements of a sequence. Sequences are computed *on demand*, more on this later)

Some Functions on Sequences

F# has a module `Seq` with functions on sequences. Many of these have counterparts for lists and arrays. Some examples:

```
Seq.length : seq<'a> -> int  
Seq.append : seq<'a> -> seq<'a> -> seq<'a>  
Seq.take : int -> seq<'a> -> seq<'a>  
Seq.skip : int -> seq<'a> -> seq<'a>  
Seq.zip : seq<'a> -> seq<'b> -> seq<'a * 'b>  
Seq.filter : ('a -> bool) -> seq<'a> -> seq<'a>  
Seq.map : ('a -> 'b) -> seq<'a> -> seq<'b>  
Seq.fold : ('a -> 'b -> 'a) -> 'a -> seq<'b> -> 'a
```

Examples:

```
Seq.map (fun i -> (i,i*i)) { 1 .. 100 } ==>
seq [(1, 1); (2, 4); (3, 9); (4, 16); ...]
```

```
Seq.fold (+) 0 { 1 .. 100 } ==> 5050
```

Sequence Expressions (1/2)

A rich syntax for defining sequences

All of it is really syntactic sugar: can be done using the basic range expressions + the functions in `Seq`. But convenient and easy to understand

A simple class of sequence expressions:

```
seq { for var in sequence -> expr }
```

Example:

```
seq { for i in 1 .. 100 -> (i,i*i) } ==>
seq [(1, 1); (2, 4); (3, 9); (4, 16); ...]
```

(Same as `Seq.map (fun i -> (i,i*i)) { 1 .. 100 }`)

Sequence Expressions (2/2)

An extension:

```
seq { for pat in sequence -> expr }
```

Example:

```
let squares = seq { for i in 1 .. 100 -> (i,i*i) }
seq { for (i,i2) in squares -> (i2 - i) } ==>
seq [0; 2; 6; 12; ...]
```

There are a number of other extensions

Lists, Arrays, and Sequences

'a list and 'a [] are *subtypes* to seq<'a>

This means that functions taking sequences as arguments can be given lists or arrays as arguments instead

Examples:

```
Seq.map (fun x -> x+1) [1; 3; 5] ==> seq [2; 4; 6]
```

```
Seq.zip [|1; 3; 5|] [| 'a' ;'b' ;'c'|] ==>
seq [(1, 'a'); (3, 'b'); (5, 'c')]
```

Defining Lists and Arrays by Sequence Expressions

Sequence expressions can be used to define lists or arrays

Simply write “[...]” or “[| ... |]” rather than “seq { ... }”

```
[1 .. 5] ==> [1; 2; 3; 4; 5]
[|1 .. 5|] ==> [|1; 2; 3; 4; 5|]
```

Often very convenient for expressing predefined lists or arrays

Another example: converting an array to a list:

```
let array2list a = [for i in 0 .. Array.length a - 1 -> a.[i]]
```

Lazy Evaluation in F#

F# has two main constructs to yield lazy evaluation:

- a function `lazy` that delays evaluation, and a member `.Force()` that forces the evaluation
- sequences, which are computed on demand

Lazy/Force (1/4)

The `lazy` function in action (fsi):

```
> let x = lazy (33 + 12);;
val x : Lazy<int> = <unevaluated>
```

`x` obtains a special type `Lazy<int>`, and is unevaluated.

It is represented by a piece of code that will compute `33 + 12` when called

Lazy/Force (2/4)

`x` is evaluated with the `.Force()` member:

```
> x.Force();;
val it : int = 45
```

Subsequent evaluations of `x.Force()` will return the same value

Lazy/Force (3/4)

`x.Force()` evaluates `x` only *the first time it is called*

The value is stored, and reused: subsequent calls return the stored value

This becomes visible if we add a side effect:

```
> let x = lazy (printf "xxx\n"; 33 + 12);;
val x : Lazy<int> = <unevaluated>
> x.Force();;
xxx
val it : int = 45
> x.Force();;
val it : int = 45
```

The side effect occurs only the first time

Lazy/Force (4/4)

A comment on `lazy` and `.Force()`:

It is easy to do small examples with them

However, I found it hard to use them for more interesting things

I do think that the design of F# could be improved as regards laziness

Computation Expressions

F# has a concept of *computation expressions*

They can be used to fine-tune the order of evaluation

Sequence expressions are really computation expressions

We will not bring them up further here

See Ch. 12 in the book

Sequences


Sequences are computed *on demand*

Only as much as is “asked for” is computed

This means that we can work with very long, or even infinite sequences, as long as we only use a small part of them

Sequence functions like `Seq.take` and `Seq.tryFind` can be used to select small parts of sequences

Call by Value vs. Demand-driven Computation (1/2)



Call by Value vs. Demand-driven Computation (2/2)

Let's compare a list with 10 million elements with a sequence with 10 million elements

```
List.tryFind (fun x -> x = 3) [1 .. 10000000]
```

Call by value. The whole list will be evaluated, then searched for the first element that has the value 3. The third element is returned

```
Seq.tryFind (fun x -> x = 3) { 1 .. 10000000 }
```

Evaluation by demand. `Seq.tryFind` will ask for elements one at a time, as it searches through the sequence. Only the three first elements will be generated, then `Seq.tryFind` returns the third element

Compare the performance in `fsi!`